



REPORT

Site: <http://rest.vulnweb.com>

Generated on Wed, 14 Dec 2022 00:30:38

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	3
Low	3
Informational	3

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	18
Missing Anti-clickjacking Header	Medium	3
Vulnerable JS Library	Medium	3
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	18
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	54
X-Content-Type-Options Header Missing	Low	39
Information Disclosure - Suspicious Comments	Informational	20
Modern Web Application	Informational	2
User Agent Fuzzer	Informational	96

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://rest.vulnweb.com
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/
Method	GET

Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/%23%7B%7B../section%7D%7D-examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D-%7B%7Bname%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/%23examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/%7B%7B%7Bgenerator.url%7D%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/article.id%7D%7D-%7B%7Bindex%7D%7D
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/each
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/each_compare_list_field
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/favicon.ico
Method	GET

Attack	
Evidence	
URL	http://rest.vulnweb.com/id
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/if
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/if_eq
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/robots.txt
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/sitemap.xml
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/unless
Method	GET
Attack	
Evidence	
Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header, to achieve optimal browser support: "Content-Security-Policy" for Chrome 25+, Firefox 23+ and Safari 7+, "X-Content-Security-Policy" for Firefox 4.0+ and Internet Explorer 10+, and "X-WebKit-CSP" for Chrome 14+ and Safari 6+.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038
Medium	Missing Anti-clickjacking Header
Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

URL	http://rest.vulnweb.com
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/
Method	GET
Attack	
Evidence	
Instances	3
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library jquery, version 2.2.1 is vulnerable.
URL	http://rest.vulnweb.com/docs/vendor/bootstrap.min.js?v=1670998406044
Method	GET
Attack	
Evidence	* Bootstrap v3.3.7
URL	http://rest.vulnweb.com/docs/vendor/handlebars.min.js?v=1670998406044
Method	GET
Attack	
Evidence	/*! handlebars v4.0.5
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	/*! jQuery v2.2.1
Instances	3
Solution	Please upgrade to the latest version of jquery.
Reference	https://github.com/jquery/jquery/issues/2432 http://blog.jquery.com/2016/01/08/jquery-2-2-and-1-12-released/ http://research.insecurelabs.org/jquery/test/ https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/ https://nvd.nist.gov/vuln/detail/CVE-2019-11358

	https://nvd.nist.gov/vuln/detail/CVE-2015-9251 https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	829
WASC Id	
Plugin Id	10003

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://rest.vulnweb.com
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/%23%7B%7B../section%7D%7D-examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D-%7B%7Bname%7D%7D
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/%23examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/%7B%7B%7Bgenerator.url%7D%7D%7D
Method	GET
Attack	

Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/docs/article.id%7D%7D-%7B%7Bindex%7D%7D
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/each
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/each_compare_list_field
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/favicon.ico
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/id
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/if
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/if_eq
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/robots.txt
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/sitemap.xml
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26
URL	http://rest.vulnweb.com/unless
Method	GET
Attack	
Evidence	X-Powered-By: PHP/7.1.26

Instances	18
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10037

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
------------	---

Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
-------------	---

URL	http://rest.vulnweb.com
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/%23%7B%7B../section%7D%7D-examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/%23api-%7B%7Bgroup%7D%7D-%7B%7Bname%7D%7D
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/%23examples-%7B%7B../id%7D%7D-%7B%7B@index%7D%7D7D
-----	---

Method	GET
--------	-----

Attack	
--------	--

Evidence	Apache/2.4.25 (Debian)
----------	------------------------

URL	http://rest.vulnweb.com/docs/%7B%7B%7Bgenerator.url%7D%7D%7D
-----	---

Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/api_data.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/api_project.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/article.id%7D%7D-%7B%7Bindex%7D%7D
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/css/style.css
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/img/favicon.ico
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/ca.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/cs.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/de.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/es.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/fr.js?v=1670998406044
Method	GET

Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/it.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/locale.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/nl.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/pl.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/pt_br.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/ro.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/ru.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/tr.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/vi.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/zh.js?v=1670998406044
Method	GET
Attack	

Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/locales/zh_cn.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/utils/handlebars_helper.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/utils/send_sample_request.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/bootstrap.min.css
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/bootstrap.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/handlebars.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/list.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/lodash.custom.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)

URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp/index.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/polyfill.js
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/prettify.css
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/prettify/prettify.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/require.min.js
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/semver.min.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/docs/vendor/webfontloader.js?v=1670998406044
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/each
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/each_compare_list_field
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/favicon.ico
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/id

Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/if
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/if_eq
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/robots.txt
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/sitemap.xml
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
URL	http://rest.vulnweb.com/unless
Method	GET
Attack	
Evidence	Apache/2.4.25 (Debian)
Instances	54
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007 http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10036

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://rest.vulnweb.com
Method	GET
Attack	
Evidence	

URL	http://rest.vulnweb.com/
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/api_data.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/api_project.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/css/style.css
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/img/favicon.ico
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/ca.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/cs.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/de.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/es.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/fr.js?v=1670998406044

Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/it.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/locale.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/nl.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/pl.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/pt_br.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/ro.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/ru.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/tr.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/vi.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/zh.js?v=1670998406044
Method	GET

Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/locales/zh_cn.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/utils/handlebars_helper.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/utils/send_sample_request.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/bootstrap.min.css
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/bootstrap.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/handlebars.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/list.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/lodash.custom.min.js?v=1670998406044
Method	GET
Attack	

Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp/index.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/polyfill.js
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify.css
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify/prettify.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/require.min.js
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/semver.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/webfontloader.js?v=1670998406044
Method	GET
Attack	
Evidence	
Instances	39
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p>
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021
Informational	Information Disclosure - Suspicious Comments

Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://rest.vulnweb.com/docs/api_data.js?v=1670998406044
Method	GET
Attack	
Evidence	user
URL	http://rest.vulnweb.com/docs/api_data.js?v=1670998406044
Method	GET
Attack	
Evidence	username
URL	http://rest.vulnweb.com/docs/api_project.js?v=1670998406044
Method	GET
Attack	
Evidence	admin
URL	http://rest.vulnweb.com/docs/locales/es.js?v=1670998406044
Method	GET
Attack	
Evidence	todo
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	from
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	select
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	TODO
URL	http://rest.vulnweb.com/docs/main.js
Method	GET
Attack	
Evidence	where
URL	http://rest.vulnweb.com/docs/utils/send_sample_request.js?v=1670998406044
Method	GET
Attack	
Evidence	from
URL	http://rest.vulnweb.com/docs/utils/send_sample_request.js?v=1670998406044
Method	GET
Attack	

Evidence	user
URL	http://rest.vulnweb.com/docs/vendor/handlebars.min.js?v=1670998406044
Method	GET
Attack	
Evidence	FROM
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	db
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	select
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp/index.js?v=1670998406044
Method	GET
Attack	
Evidence	from
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp/index.js?v=1670998406044
Method	GET
Attack	
Evidence	user
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp/index.js?v=1670998406044
Method	GET
Attack	
Evidence	where
URL	http://rest.vulnweb.com/docs/vendor/polyfill.js
Method	GET
Attack	
Evidence	From
URL	http://rest.vulnweb.com/docs/vendor/prettify/prettify.js?v=1670998406044
Method	GET
Attack	
Evidence	from
URL	http://rest.vulnweb.com/docs/vendor/prettify/prettify.js?v=1670998406044
Method	GET
Attack	
Evidence	select
URL	http://rest.vulnweb.com/docs/vendor/prettify/prettify.js?v=1670998406044
Method	GET
Attack	
Evidence	where

Instances	20
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
---------------	------------------------

Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://rest.vulnweb.com/docs/
Method	GET
Attack	
Evidence	<script src="vendor/polyfill.js"></script>
URL	http://rest.vulnweb.com/docs/vendor/jquery.min.js?v=1670998406044
Method	GET
Attack	
Evidence	
Instances	2
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	User Agent Fuzzer
---------------	-------------------

Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/css

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	

URL	http://rest.vulnweb.com/docs/css
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/img
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0

Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/locales
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/utils
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/utils
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/utils
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/utils
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/utils
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Attack	Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/utills
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/vendor
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/path-to-regexp
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	http://rest.vulnweb.com/docs/vendor/prettify
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Instances	96
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104